

# **ELEGANT** WISH

1<sup>st</sup> price group

producer **Davis** 

composition 100% Polyester

weight 480 g/m² +/-5%

flame retardant

EN1021 -1 BS5852: Part 1:1979 Ignition source 0 (Cigarette) CAL TB 117

Martindale test

>100.000 rubs


pilling resistance **4** 

light resistance 5

website

www.davis.pl/.../elegant-wish/





# **ELEGANT** WISH

1<sup>st</sup> price group






### **ARIZONA**

1<sup>st</sup> price group producer Elastron composition: surface 91% PVC+ 9% PU, backing 95% Polyester + 5% Cotton weight: 980 g/mb/lm (+/- 5%) flame retardant: BS 5852 Part 1; EN 1021-1/2; CA Tech. Bull. 117:2013/NFPA 260 - Cigarette Test Martindale test: >800.000 rubs pilling resistance: light resistance: **5** other fabric properties: easy care; anti-bacterial; resistance to urine; resistance to hospital-grade desinfectant cleaner website: elastrongroup.com





# **ARIZONA**

1<sup>st</sup> price group



# **LUIS**

1<sup>st</sup> price group

producer Davis

composition 100% Polyester

weight 350 g/m² +/-5%

flame retardant

EN1021 -1 BS5852: Part 1:1979 Ignition source 0 (Cigarette) CAL TB 117

Martindale test 20000-30000 rubs

pilling resistance

light resistance 3-5

otherfabric properties water repellent

website

www.davis.pl/.../luis/





# **LUIS**

1<sup>st</sup> price group



The sample is provided as a guide only. Therefore an exact match can not be guaranteed. Color differences between individual production batches are allowed.



48

52

# MILTON NEW

1st price group

producer **Fargotex** 

composition
97% Polyester, 3% Nylon

weight 310 g/m² ± 5%

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test 90.000 rubs

pilling resistance

light resistance

website

www.fargotex.pl/.../milton-new,p1491930130



# **MILTON NEW**

1<sup>st</sup> price group





# **ETNA**

1<sup>st</sup> price group

producer **Davis** 

composition 100% PES

weight 310 g/m² ± 5%

flame retardant

EN1021 -1 BS5852: Part 1:1979 Ignition source 0 (Cigarette) CAL TB 117

Martindale test 80.000-90.000 rubs

pilling resistance

4

light resistance **5** 

website

www.davis.pl/.../etna-2/





# **ETNA**

1<sup>st</sup> price group



Paged

The sample is provided as a guide only. Therefore an exact match can not be guaranteed. Color differences between individual production batches are allowed.



85 24

# **INARI**

1<sup>st</sup> price group

producer **Davis** 

composition 100% PP

weight  $260 \text{ g/m}^2 \pm 5\%$ 

flame retardant

EN1021 -1 BS5852: Part 1:1979 Ignition source 0 (Cigarette) CAL TB 117

Martindale test 45.000-50.000 rubs


pilling resistance

light resistance

website


www.davis.pl/.../inari/







# **INARI**

1<sup>st</sup> price group









34 80

# MATT VELVET

1st price group

producer **Davis** 

composition
100% Polyester

weight 430 g/m² +/-5%

flame retardant

EN1021 -1 BS5852: Part 1:1979 Ignition source 0 (Cigarette) CAL TB 117

Martindale test >100.000 rubs

pilling resistance

4-5

light resistance


4

otherfabric properties water repellent

website


www.davis.pl/.../matt-velvet/





# MATT VELVET

1<sup>st</sup> price group





# **HIMALAYA**

2<sup>nd</sup> price group

producer Symphony Mills

composition 100% recycled polyester

weight **500 g/m² ± 5**%

flame retardant CAL TB 117

Martindale test 100.000 rubs

pilling resistance

light resistance **5** 


website symphonymills.com/.../himalaya/





# **HIMALAYA**

2<sup>nd</sup> price group



The sample is provided as a guide only. Therefore an exact match can not be guaranteed. Color differences between individual production batches are allowed.



606 602

### **ZOYA**

2<sup>nd</sup> price group

producer Fargotex

composition 100% Polyester

weight **390 g/m² ± 5**%

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test 50.000 cykli / rubs

pilling resistance
4

light resistance 4/5


otherfabric properties virus protect

website www.fargotex.pl/.../zoya,p132968856



# **ZOYA**

2<sup>nd</sup> price group



### **HAZEL**

2<sup>nd</sup> price group

producer **Fargotex** 

composition
100% recycled polyester

weight **284 g/m² ± 5**%

flame retardant

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test **50.000 rubs** 

pilling resistance **5** 

light resistance

website


www.fargotex.pl/.../hazel,p1628975463





# **HAZEL**

2<sup>nd</sup> price group



13

15

# **AVENA**

2<sup>nd</sup> price group

producer **Fargotex** 

composition 59% Polyamide, 23% Polyester, 13% Viscose, 5% Linen

weight 550 g/m² ± 5%

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test **50.000 rubs** 

pilling resistance

4

light resistance **5** 

website

www.fargotex.pl/.../avena,p422989260





# **AVENA**

2<sup>nd</sup> price group



# **NORDIC**

2<sup>nd</sup> price group

producer **Aquaclean** 

composition 50% poliester, 35% akryl, 15% poliamid

weight 410 gr/m²

flame retardant EN1021 1-2, BS5852 0-1

Martindale test 100.000 rubs

pilling resistance


light resistance 6

iotherfabric properties **aqua clean, safe front, PFC free** 

website

www.aquaclean.com/





# **NORDIC**

2<sup>nd</sup> price group



# **STRONG**

#### 2<sup>nd</sup> price group

producer **Fargotex** 

composition 100% Polyester

weight  $381 \text{ g/m}^2 \pm 5\%$ 

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test **50.000 rubs** 

pilling resistance 4/5

light resistance **5** 


otherfabric properties virus protect


website www.fargotex.pl/.../strong,p1802167172




# **STRONG**

2<sup>nd</sup> price group







# **SALAK**

3<sup>rd</sup> price group

producer Dekoma

composition 91% poliester, 9% viscose

weight 363 g/m²

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette), US Cal. Bull. 117, NFPA

Martindale test 30.000 rubs

pilling resistance **4-5** 

light resistance **6** 

website dekoma.eu/pl/.../salak





# **SALAK**

3<sup>rd</sup> price group









24 sesame

28 pheasant

33 midnight

09 apricot



18 shark

# **TWIG**

3<sup>rd</sup> price group

producer **Fargotex** 

composition 100% recycled polyester

weight 318 g/m² ± 5%

flame retardant BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test **40.000 rubs** 

pilling resistance **5** 

light resistance **7** 


website

www.fargotex.pl/.../twig,p1047836838



# **TWIG**

3<sup>rd</sup> price group



Próbki tkanin mają charakter poglądowy. Nie należy oczekiwać idealnej kopii, nie gwarantujemy idealnego odwzorowania kolorów w rzeczywistości. Dopuszczalne są różnice kolorystyczne między poszczególnymi partiami produkcyjnymi.

# **ESTIVO**

3<sup>rd</sup> price group

producer Fargotex

weight **548 g/m² ± 5**%

flame retardant

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test 35.000 rubs

pilling resistance
4

website


www.fargotex.pl/.../estivo,p916017185





# **ESTIVO**

3<sup>rd</sup> price group



# **NEON**

3<sup>rd</sup> price group

producer **Fargotex** 

composition 66% acrylic; 34% Polyester

weight **570 g/m² ± 5**%

flame retardant

BS 5852: Part 1: 1979, source 0 (cigarette)

Martindale test **40.000 rubs** 

pilling resistance

light resistance **5** 


website

www.fargotex.pl/.../neon,p1296217549



# **NEON**

3<sup>rd</sup> price group



### **VARENNA**

3<sup>rd</sup> price group

producer **Aquaclean** 

composition 80% POLIESTER, 16% MODAKRYL, 4% WISKOZA

weight 432 g/m²

flame retardant EN1021 1-2, BS5852 0-1

test Martindale'a / Martindale test

#### >100.000 rubs

pilling resistance **5** 


light resistance

otherfabric properties **aqua clean, safe front, PFC free** 

website


www.aquaclean.com/






# **VARENNA**

3<sup>rd</sup> price group



The sample is provided as a guide only. Therefore an exact match can not be guaranteed. Color differences between individual production batches are allowed.



105 62

# **TITAN**

3<sup>rd</sup> price group

producer **Aquaclean** 

composition 73% POLIESTER, 19% MODAKRYL, 8% BAWEŁNA

weight 421 gr/m2

flame retardant EN1021 1-2, BS5852 0-1

Martindale test 60.000 rubs

pilling resistance **5** 


light resistance **5** 

otherfabric properties **aqua clean, safe front, PFC free** 

website


www.aquaclean.com/





# **TITAN**

3<sup>rd</sup> price group



The sample is provided as a guide only. Therefore an exact match can not be guaranteed. Color differences between individual production batches are allowed.



250 30

# WOOL

3<sup>rd</sup> price group

producer Dekoma

composition

70% recycled wool, 20% polyester, 5% poliamid, 5% other fibres

weight 325 g/m<sup>2</sup>

flame retardant EN1021 1-2, BS5852 0-2, US Cal. Bull. 117

Martindale test 100.000 rubs

pilling resistance 4-5

light resistance

4-5

website

dekoma.eu/pl/.../wool/arctic-69





# WOOL

3<sup>rd</sup> price group




# **HERMES**

4<sup>th</sup> price group

producer Adhulst

website adhulst.nl/





# **HERMES**

4<sup>th</sup> price group







Djerba