Jetson s1





Jetson S1

An acoustic oasis for one. Ideal for a quick call, video meeting or a deep work session to come up with the next big idea. Ergonomic interior and smart wall-mounted add-ons like the phone holder facilitate work and make focusing on the task easier.

Jetson is a family of universal acoustic pods designed to make everyone's work joyful and fruitful. It's truly people-focused: comfortable and customizable through add-on sets to meet your need and vision.

Made of extruded aluminum, which makes it the lightest and most environmentally-friendly pod on the market.

With its durable construction, no-hassle assembly, effective sound attenuation, and attractive price,

Jetson will introduce the benefits of acoustic pods to all.

FUNCTION

Quick-call, video meeting or focused work

ACOUSTICS

Insulation

USAGE


Open space

Reception

Breakout area

Other public spaces

Dimensions & weight



Pod

DIMENSIONS	EXTERIOR / INTERIOR	WEIGHT		
Width	1000 mm (40 in.) / 860 mm (34 in.)	Pod weight	210 kg (463 lbs)	
Depth	1000 mm (40 in.) / 860 mm (34 in.) + 800 mm (32 in.) with an open door	Shipment weight	250 kg (551 lbs)	
Height	2264 mm (89 in.) / 2102 mm (83 in.) + 36 mm (1.4 in.) with casters			

Packing (cartboard flat-packs – 6 layers)

DIMENSIONS		WEIGHT	
Width	2280 mm (90 in.)	Wooden pallet	19 kg (42 lbs)
Depth	1000 mm (40 in.)	Plywood pallet	30 kg (66 lbs)
Height	860 mm (34 in.)		
POSSIBILITY OF STOCKING			

Number of pods 2

мите. **Factsheet**

Technical data

ACOUSTIC RESULTS

Reverberation time inside

Speech level reduction D_{S.A} = 27,2 dB, class B, ISO 23351-1 19,2-43 dB (125-8000 Hz) Range of level reduction D ISO 10140-2 Sound insulation $R_{w} = 33 \text{ dB}, R_{\Delta 1} = 32 \text{ dB}$ • Glass wall (6 mm ESG) Solid wall $R_{w} = 38 \text{ dB}, R_{A1} = 36 \text{ dB}$

0,1 s (250-4000 Hz) - ISO 354:2005

VENTILATION

50 m³/h System airflow 182,5 m³/h Nominal airflow Air change rate (ACPH) 32 / h 30 dBA Fan emitted noise outside Fan emitted noise inside 36 dBA Ventilation operation Occupancy sensor, auto start/stop

Fan supply voltage 24 V DC

POWER CONSUMPTION AND LIGHTING

Standby 5 W Working (fan, LEDs) 23 W Power supply voltage 220-240 VAC, 50-60 Hz 800 mm LED strip Light source Brightness on the tabletop surface 400 lux

LED power consumption Max 8 W 24 V DC LED supply voltage Color temperature / brightness 4000 K / 960 lm/m

Light control Occupancy sensor, auto start/stop

MEDIA PORT (FPD UNIT)

Available socket types

Power supply voltage 220-240 VAC, 50-60 Hz Power sockets in a mediaport USB fast charger in a mediaport TUF A+C 30 W 10 A Max load of power sockets Mounting system Included, under desk mount LAN port Possibility to route the LAN cable

*The appearance of the media port may differ from that shown in the renderings. Parameters and features remain unchanged.

COMPOSITION

- Aluminium structure and steel elements
- · Plywood and melamine faced chipboard
- Isolating and absorbing materials
- Tempered glass
- Felt

WARRANTY

We offer a 5-year warranty and a 5-year right to repair. What is more, Jetson is made entirely of easily replaceable components. So, if you ever do need to repair Jetson, it's quick, cheap, and simple.

CERTIFICATES AND TESTS

- ISO 14001, ISO 9001
- VOC (PN-EN ISO 16000-9) and Formaldehyde (EN 717-1:2006) tested
- Speech reduction tested acc. to ISO 23351-1:2020
- Reaction to fire tested acc. to EN-13501-1:2018











FR / DE / UK / CH / AU / DK* / IT*



Equipment

STANDARD EQUIPMENT

- Ventilation system
- LED light 4000K
- · Occupancy sensor
- Media port with 2 power and A+C USB sockets

- Wall-mounted tabletop
- Display rail, phone holder, wall hook and magnet
- Power cord 3 m (118 in.)

ADDITIONAL EQUIPMENT

+ Stool

A compact and ergonomic seating solution designed to enhance comfort, making it ideal for focused work or quick calls.

+ Occupancy light

An external indicator light that signals when the pod is in use. The light glows red when the pod is occupied and turns off when it is available.

+ LAN cable cat. 6a

A high-performance Ethernet cable that enables stable, high-speed internet connectivity, ensuring seamless communication and efficient workflow.

+ LED light 3000 K

A warm lighting option that enhances the ambiance, creating a cozy and inviting atmosphere inside the pod.

+ Control panel

A user-friendly interface that allows easy adjustment of lighting and ventilation, ensuring a personalized and comfortable workspace tailored to individual preferences.

+ Casters

Casters that provide effortless mobility, allowing the pod to be easily repositioned. When casters are installed, the pod's total height increases by 36 mm (1.4 in.)

Equipment dimensions and weight

TABLETOP

 Width
 860 mm (34 in.)

 Depth
 300 mm (12 in.)

Height adjust. 45 mm (1,77 in.) intervals

Weight 3,5 kg (8 lbs)

Total load 1,4 kg (17.8 lbs)

STOOL (ADDITIONAL)

Width 300 mm (12 in.)

Depth 390 mm (15 in.)

Height adjustable 600-840 mm (24-33 in.)

Weight 11,5 kg (25 lbs)
Weight with packaging 13 kg (29 lbs)
Total load 110 kg (242 lbs)

DISPLAY RAIL

 Width
 838 mm (33 in.)


 Height
 75 mm (3 in.)

 Weight
 1,4 kg (3 lbs)

Add-on sets


Library Set

Weight: 6,5 kg (14 lbs) | With packaging: 8 kg (18 lbs)



Note Set


Weight: 10 kg (22 lbs) | With packaging: 12 kg (26 lbs)



Jetson S1

Finishes overview





www.mute.design/jetson Mute © 2025 All rights reserved